

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17119	"7" AND (TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)SAME (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1)AND CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:58
L2	4915	"7" AND (TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)SAME (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1)same control\$4 AND CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:49
L3	3750	"7" AND (TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)SAME (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1)same control\$4 AND CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)same control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:51

L4	135	"4663704"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:51
L5	144	("3971000" "3976981" "4064395" "4215396" "4303973" "4418381" "4424559" "4443861" "4451895" "4455619" "4488258" "4490781" "4528623" "4542452" "4570217").PN. OR ("4663704"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:52
L6	21	"5557559"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:52
L7	27	("4055801" "4807161" "4866714" "4868785" "5001714" "5325309" "5371851").PN. OR ("5557559"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:52
L8	5	"5627998"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:52
L9	9	("5155836" "5165020" "5265239" "5442779" "5475836").PN. OR ("5627998"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:53
L10	45	"5801942"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:53
L11	59	("4096566" "4302820" "4628437" "4648064" "4663704" "4672530" "4910658" "4910691" "4965742" "4965880" "5068778" "5129087" "5289365" "5444851" "5475856" "5481741" "5485620" "5504902" "5513095" "5530643" "5550980" "5576946").PN. OR ("5801942").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:53
L12	14	"5861882"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:53

L13	15	"5861882"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 10:54
L14	25	("4744084" "4812996" "4849880" "4901221" "4914568" "5136705" "5155836" "5168441" "5251159" "5295244" "5309556" "5392207" "5479643" "5566088").PN. OR ("5861882").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:54
L15	9	"5950001"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:54
L16	21	("5490245" "5600778" "5603034" "5682510" "5745765" "5754858" "5764226" "5778227" "5784583" "5787431" "5790855" "5794006" "5884078").PN. OR ("5950001"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:54
L17	2	"6738964"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:55
L18	9	("5386568" "5590349" "5774721" "5801942" "5850548" "5950001" "6263492" "6437805").PN. OR ("6738964").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:56
L19	61	"5155836"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:56
L20	68	("4064394" "4315315" "4389806" "4399502" "4443861" "4455619" "4546435" "4656603" "4663704" "4677587" "4723209" "4725971" "4730315" "4812996" "4813013" "4831524" "4901221").PN. OR ("5155836"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:56
L21	40	"4868785"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:56

L22	42	("4064394" "4315315" "4389706" "4656603" "4723209").PN. OR ("4868785").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:58
L23	3989789	(5 or 7 r 9 or 11 or 14 or 16 or 18 or 20 or 22)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 10:58
L24	9496	(TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)SAME (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1)AND CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)same control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 11:04
L25	5176	(TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)SAME (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1)AND CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)same (control\$4 same (cpu or micro adj2 process\$3 or \$4process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 11:05

L26	2204	(TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)SAME (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1)AND CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)same (control\$4 same (cpu or micro adj2 process\$3 or \$4process\$3))same (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 11:11
L27	970	(TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)SAME (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1)AND CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)same (control\$4 same (cpu or micro adj2 process\$3 or \$4process\$3))same (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)and 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 11:12

L28	1049	(TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)SAME (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1 or adjust or adjust\$2 or adjusting or adjustment\$1)AND CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)same (control\$4 same (cpu or micro adj2 process\$3 or \$4process\$3))same (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)and 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 14:03
L29	242	(TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)near15 (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1 or adjust or adjust\$2 or adjusting or adjustment\$1)AND CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)near15 (control\$4 same (cpu or micro adj2 process\$3 or \$4process\$3))same (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)and 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 11:15

L30	135	(TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)near15 (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1 or adjust or adjust\$2 or adjusting or adjustment\$1)AND CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)near15 (control\$4 same (cpu or micro adj2 process\$3 or \$4process\$3))near15 (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)and 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 13:42
L31	75	(TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)near15 (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1 or adjust or adjust\$2 or adjusting or adjustment\$1)AND CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)near10 (control\$4 same (cpu or micro adj2 process\$3 or \$4process\$3))near15 (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)and 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 11:16

L32	65	(TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)near15 (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1 or adjust or adjust\$2 or adjusting or adjustment\$1)AND CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)near10 (control\$4 same (cpu or micro adj2 process\$3 or \$4process\$3))near10 (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)and 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 11:16
L33	15	(TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)near15 (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1 or adjust or adjust\$2 or adjusting or adjustment\$1)near5 CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)near15 (control\$4 same (cpu or micro adj2 process\$3 or \$4process\$3))near15 (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)and 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 14:27

L34	90	("3665172" "4006464" "4047003" "4096566" "4195344" "4368510" "4413314" "4443861" "4517637" "4571676" "4586151" "4589063" "4602343" "4628437" "4639852" "4641269" "4648064" "4663704" "4672529" "4680753" "4682158" "4704676" "4774656" "4777584" "4825404" "4864489" "4910658" "4910691" "4965742" "4965880" "5068778" "5095417" "5115511" "5121318" "5122948" "5124908" "5140677" "5146401" "5164894" "5168441" "5202961" "5208744" "5233510" "5247450" "5251125" "5265005" "5282128" "5289365" "5307491" "5309556" "5311451" "5317723" "5319751" "5323328" "5365423" "5371895" "5377315" "5384910" "5386360" "5392389" "5394522" "5406176" "5408603" "5412643" "5420977" "5426732" "5428734" "5437007" "5444642" "5452201" "5459825" "5459867" "5461710" "5465364" "5469352" "5485400" "5486998" "5497316" "5500934" "5586324" "5613123" "5838563" "5903455" "6067477" "6076952" "6275741" "6298377" "6370448" "6380949" "RE33162").PN. OR ("6618630").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 13:55
L35	51	34 and (process\$3 or micro adj1 process\$3 or cpu)same (control\$4 and (configur\$3 or configuration\$1 or customiz\$3 or customization))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 14:00

L36	51	34 and (process\$3 or micro adj1 process\$3 or cpu or algorithm\$1)same (control\$4 and (configur\$3 or configuration\$1 or customiz\$3 or customization))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 13:59
L37	35	34 and (process\$3 or micro adj1 process\$3 or cpu or algorithm\$1)near15 (control\$4 and (configur\$3 or configuration\$1 or customiz\$3 or customization))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 13:59
L38	27	34 and (process\$3 or micro adj1 process\$3 or cpu or algorithm\$1)near15 (control\$4 same (configur\$3 or configuration\$1 or customiz\$3 or customization))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 14:02
L39	0	34 and (process\$3 or micro adj1 process\$3 or cpu or algorithm\$1)near15 (control\$4 same (configur\$3 or configuration\$1 or customiz\$3 or customization))and placeholder\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 14:02
L40	0	34 and (process\$3 or micro adj1 process\$3 or cpu or algorithm\$1)near15 (control\$4 same (configur\$3 or configuration\$1 or customiz\$3 or customization))and place-hold\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 14:02
L41	1	34 and (process\$3 or micro adj1 process\$3 or cpu or algorithm\$1)near15 (control\$4 same (configur\$3 or configuration\$1 or customiz\$3 or customization))and place adj2 hold\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 14:03


L42	74	(TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)SAME (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1 or adjust or adjust\$2 or adjusting or adjustment\$1)AND CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)same (control\$4 same (cpu or micro adj2 process\$3 or \$4process\$3))same (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)and 23 and (placeholder or place adj2 holder\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 14:25
L43	5	(TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)SAME (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1 or adjust or adjust\$2 or adjusting or adjustment\$1)AND CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)same (control\$4 same (cpu or micro adj2 process\$3 or \$4process\$3))same (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)and 23 and (placeholder or place adj2 holder\$1)near10 (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 14:25

L44	1	(TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)SAME (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1 or adjust or adjust\$2 or adjusting or adjustment\$1)AND CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)same (control\$4 same (cpu or micro adj2 process\$3 or \$4process\$3))same (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)and 23 and (placeholder or place adj2 holder\$1)near10 ((CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)and (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 14:08
-----	---	---	---	----	-----	------------------

L45	13	(TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)near15 (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1 or adjust or adjust\$2 or adjusting or adjustment\$1)near5 CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)near15 (control\$4 same (cpu or micro adj2 process\$3 or \$4process\$3))near15 (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)and 23 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 14:29
L46	13	(TEST\$3 OR GRAPHICAL OR GRAPHICALLY OR MONITOR OR NETWORK OR LAN OR WAN OR WEB OR WEB ADJ SITE OR WEBSITE OR INTERNET OR BROWSER\$1 OR DISPLAY\$4 OR VIEW\$3)near15 (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)NEAR5 (EDIT\$1 OR EDITED OR EDITING OR CHANG\$4 OR MODIFY\$3 OR MODIF\$3 OR MODIFICATION\$1 or adjust or adjust\$2 or adjusting or adjustment\$1)near5 CONNECT\$4 AND (PHYSICALLY OR H/W OR HARDWARE OR APPARATUS)near15 (control\$4 same (cpu or micro adj2 process\$3 or \$4process\$3))near15 (CONFIGUR\$3 OR CONFIGURATION OR CUSTOMIZ\$3 OR CUSTOMIZATION\$1)and 23 and database same (view\$4 or display\$3 or graphical\$2 or visual or visualiz\$3 or visualization)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 14:58

L47	3	"6738964"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:00
L48	3	"6738964" and config\$9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:01
L49	2	"6738964" and config\$9 and control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:01
L50	2	"6738964" and config\$9 and control\$4 and process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:01
L51	2	"6738964" and config\$9 and control\$4 and \$6process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:01
L52	1	"6738964" and config\$9 and control\$4 and \$6process\$3 and (network or lan or wan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:02
L53	0	"6738964" and config\$9 and control\$4 and \$6process\$3 and (network or lan or wan)and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:02
L54	1	"6738964" and config\$9 and control\$4 and \$6process\$3 and (network or lan or wan)and (view\$3 or visual\$9 or display\$3 or graphical\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:22

L55	1	"6738964" and config\$9 and control\$4 and \$6process\$3 and (network or lan or wan)and (view\$3 or visual\$9 or display\$3 or graphical\$2)and data adj2 view\$3 same hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:23
L56	1	"6738964" and (network or lan or wan)and (view\$3 or visual\$9 or display\$3 or graphical\$2)same data adj2 view\$3 same hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:23
L57	0	"6738964" and (network or lan or wan)same (view\$3 or visual\$9 or display\$3 or graphical\$2)same data adj2 view\$3 same hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:23
L58	1	"6738964" and (network or lan or wan)and (view\$3 or visual\$9 or display\$3 or graphical\$2)same data adj2 view\$3 same hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:24
L59	1	"6738964" and (network or lan or wan)and (view\$3 or visual\$9 or display\$3 or graphical\$2)same data adj2 view\$3 same hardware and hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:24



Start [Icons] 10:29 AM

EAST Browser - L30: (1) "2002007526... | US 20020075267 A1 | Tag: S | Doc: 1/1 | Format : KWIC

File Edit View Tools Window Help

Pre-Grant Publication (PGPub) Document Number - PGNR (1):
20020075267

Pre-Grant Publication Document Identifier - DID (1):
US 20020075267 A1

Detail Description Paragraph - DETX (30):
[0059] FIG. 5 (View Average of C1 Processing Web Configuration) shows a slightly more complicated configuration, in which we see two processor objects with update pins, a Waveform Averager 520 and a Trace Renderer 530. In this scenario, the configuration is idle until either Waveform Averager 520 or the Trace Renderer 530 are updated via their update pins 524, 534, respectively. When Waveform Averager 520 is updated, it will request results from Acquisition Board's 510 C1 output 516 and will accumulate and normalize those results to produce a new output result 526. When Trace Renderer 530 is updated, it will request results from Waveform Averager's 520 output 526 and will process those results by building a displayable image. If Trace Renderer 530 is updated again before Waveform Averager 520 has been updated, then it will simply get the same result from the Waveform Averager's output. In this case, Trace Renderer would not have any processing work to perform unless some aspect of its definition had changed such that it were necessary to re-process the same data (e.g. graphical window-size changed and displayable representation was not re-scalable). Thus, proper synchronization of the various update pins and data transfer sequences is essential, especially if it is desired to run various processor objects at different clock speeds, as will be discussed below.

FIG. 5

Details Text Image HTML KWIC HTML Full